



Product certificate

ADRIFÖL HD Diesel Premium 15W-40

0002-000538

Description

ADRIFÖL HD Diesel Premium 15W-40 is a universal engine oil on a basis of selected base oils combined with the latest additives for all diesel engines with or without turbo-charging in lorries, buses and machinery.

With ADRIFÖL HD Diesel Premium 15W-40 a motor oil was developed, which meets the latest manufacturer requirements.

Instructions for use

ADRIFÖL HD Diesel Premium 15W-40 is an engine oil suitable for year-round use. It was designed for the new exhaust emission guidelines including for vehicles with exhaust gas recirculation systems.

ADRIFÖL HD Diesel Premium 15W-40 offers superior performance in the areas of wear control, piston deposits and oil thickening.

It also reduces the risk of expensive turbocharger or hardware repairs by means of a superior motor protection.

Quality classification

Specification

- API CK-4/CJ-4/SN
- ACEA E7/E9

ADRIFÖL HD Diesel Premium 15W-40 is tried and tested in practice in aggregates requiring adherence to manufacturer's fluid specifications:

- CAT ECF-3
- Cummins CES 20081 / 20086
- Mack EO-O Premium Plus / EOS-4.5
- MB 228.31
- MTU Type 2.1
- Volvo VDS 4 / 4.5
- Detroit Diesel DDC93K218 / DDC93K222
- Deutz DQC-III-10 LA
- Ford WSS-M2C171-E / WSS-M2C171-E
- John Deere JDQ 78 X
- MAN M3275 / M3575
- Renault VI RLD-3 / RLD-4

Properties

- Best oxidation stability
- Outstanding high temperature stability
- Very good detergent and dispersant properties
- Economy through low fuel consumption
- High wear protection
- Excellent cold start behavior even at low temperatures
- Very good viscosity-temperature behavior
- Neutrality against seals

Technical specifications

Properties	Data	Unit	Testing under
kinematic viscosity at 40°C	116,1	MM ² /S	DIN ISO 51562-2
kinematic viscosity at 100°C	15,6	MM ² /S	DIN ISO 51562-2
Viscosity Index	142		DIN ISO 2909
appearance	REDBROWN		visually
density at 15°C	869	KG/M ³	DIN EN ISO 12185
Pour Point	-39	CELSIUS	ASTM D 7346

All declared values are approximate and subject to standard production variations.

To the best of our knowledge all information reflects the current state of findings and our development. Subject to change. Any reference to DIN standards are solely for product description purposes and do not represent a guarantee. If problems arise, please consult a technician.

14.01.2019 01:00:02