



Product certificate

ADRIFÖL UTTO

0002-000116

Description

ADRIFÖL UTTO is based on solvent refined base oils and is a combined gear and hydraulic oil. As a specially developed universal oil, it can be used in combined hydraulic and gear systems of modern tractors.

ADRIFÖL UTTO guarantees the problem-free operation of all units in any weather conditions.

Instructions for use

ADRIFÖL UTTO is a universal oil for lubrication and power transmission in combined hydraulic and gear systems. This is required in particular in most agricultural tractors and excavators. It is suitable for wet brakes in power shift clutches and auxiliary drives.

Quality classification

Specification

- API GL-4

Approval:

- ZF TE-ML 03E/05F/17E/21F

ADRIFÖL UTTO is tried and tested in practice in aggregates requiring adherence to manufacturer's fluid specifications:

- Allison C-4
- Case IH-MS 1206/1207/1210
- Caterpillar TO-2
- Ford ESN-M2C 86B/C/134 D
- HVL P (DIN 51524 Teil 3)
- John Deere J 20 C/D, J21A
- Massey Ferguson M 1135/M 1141/M 1143/M1145
- ZF TE-ML 06K
- Deutz-Allis AC Power Fluid 821 XL
- FNHA 2-C-200.00/ MAT 3505/3506/3525
- NH 410B
- Renault 180596
- SDFG OT-1891A
- Volvo BM WB 101 (BM Valmet, AWB Achsen)
- White Farm (AGCO) Q- 1802/-182616

Properties

- Very high and stable viscosity index
- High oxidation stability
- Very low pour point
- High pressure absorption capacity
- Excellent protection against corrosion, wear and foaming
- Favourable friction behaviour in brakes running in an oil bath (wet brakes) in power shift clutches and auxiliary drives.
-

Technical specifications

Properties	Data	Unit	Testing under
kinematic viscosity at 40°C	58,000	MM ² /S	DIN ISO 51562-2
kinematic viscosity at 100°C	9,700	MM ² /S	DIN ISO 51562-2
viscosity index	153		DIN ISO 2909
appearance	YELLOW		visually
density at 15°C	862,0	KG/M ³	DIN EN ISO 12185
Pour Point	-39	CELSIUS	ASTM D 7346

All declared values are approximate and subject to standard production variations.

To the best of our knowledge all information reflects the current state of findings and our development. Subject to change. Any reference to DIN standards are solely for product description purposes and do not represent a guarantee. If problems arise, please consult a technician.

18.01.2019 01:00:06